

Safety Data Sheet

Issue date 23-Jul-2018 Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHAMPION SPRAYON INDOOR INSECT FOGGER FORMULA 3

Chemical name 7-7665

Other means of identification

Product code FG 438-5105-2 GHS

Synonyms Total release fogger insecticide

Registration number(s) 498-146

Recommended use of the chemical and restrictions on use

Recommended Use Flying and crawling insect killer.

Uses advised against See directions for use on product's label.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

HARMFUL IF INHALED

May cause an allergic skin reaction EXTREMELY FLAMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance White emulsion. Physical State Aerosol Odor Characteristic odor of insecticide and petroleum distillate.

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

Specific treatment: See additional cautionary statements on this label.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

0% of this mixture consist of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Common Name Insecticide spray.

Synonyms Total release fogger insecticide.

Chemical Family Pesticide. Formula 7-7665

Chemical nature Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	50-55	*
n-butane	106-97-8	25-30	*
Propane	74-98-6	5-10	*
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	5-10	*
Petroleum distillates, hydrotreated light	64742-47-8	1-5	*
Permethrin	52645-53-1	0.4	*
Pyrethrins	8003-34-7	0.05	*

Chemical Additions

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

See label for active ingredients information.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

Inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

Ingestion Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if

inhaled.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration neumonia

hazard.

5. Fire-fighting measures

Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon

dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire

conditions.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse with adequate general or local exhaust ventilation.

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Clean contaminated surface thoroughly.

Prevention of secondary hazards Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated

absorbent and wash water should be disposed of according to local, state and federal

regulations.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or

mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible MaterialsAvoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
			TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	_
Pyrethrins	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 5000 mg/m ³
8003-34-7		(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering controlsUse with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Rubber, vinyl or household type gloves required.

Respiratory protection None required. DO NOT remain in the area during treatment. Do not reenter area for 4

hours. Ventilate thoroughly before reentry.

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

Appearance White emulsion. Odor Characteristic odor of

insecticide and petroleum

distillate.

ColorWhiteOdor thresholdNo information available

PropertyValuesRemarks • MethodpHNot applicableWater-oil emulsion.Melting point/freezing pointNot applicableNo information availableBoiling point/boiling rangeWater 212 °F/100 °CNo information available

Flash Point

Not Available. This is an aerosol No information available product for which Flame Projection is 0 inches. Temperatures above 120 °F

may cause cans to burst.

Evaporation Rate Faster than butyl acetate. No information available Flammability (solid, gas) No information available

Flammability Limits in Air No information available

Upper flammability limits Lower Flammability Limit

Vapor pressureNo information availableVapor DensityNo information available

Relative Density

0.975 concentrate

No information available

No information available

Soluble in water

Solubility in other solvents

Partition coefficient

Autoignition Temperature

Decomposition temperature

Kinematic viscosity

No information available

Dynamic viscosity
Explosive properties
Oxidizing properties
No information available
No information available

Other Information

Softening point No information available Molecular weight No information available

VOC content (%) 44.31% Density8.12 lb/gal

Bulk Density No information available

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. Chlorine gas, fluorine gas and hydrogen chloride may also be formed under fire conditions.

11. Toxicological Information

Information on likely routes of exposure

Product Information Results below are for a very similar product with same concentration of active ingredients.

Inhalation Acute Inhalation IV (LC50 >5.98 mg/L).

Eye Contact Primary Eye III.

Skin contact Acute Dermal III (LD50 >2,000 mg/kg).

Ingestion Acute Oral IV (LD50 >5,000 mg/kg).

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
n-butane	-	-	$= 658 \text{ g/m}^3 \text{ (Rat) 4 h}$
106-97-8			
Propane	-	-	> 800000 ppm (Rat) 15 min
74-98-6			
Solvent naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.28 mg/L (Rat) 4 h
aliphatic			
64742-96-7			
Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
light			
64742-47-8			
Permethrin	= 220 mg/kg (Rat) = 383 mg/kg (= 1750 mg/kg (Rat) > 2 g/kg (> 0.69 mg/L (Rat) 4 h
52645-53-1	Rat)	Rabbit) > 5000 mg/kg (Rat)	- , ,
Pyrethrins	= 200 mg/kg (Rat)	= 1350 mg/kg (Rat) = 2060 mg/kg	= 3.4 mg/L (Rat) 4 h
8003-34-7		(Rabbit) = 300 mg/kg (Rabbit)	

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged and repeated contact with skin may cause allergic reactions in some individuals.

Serious eye damage/eye irritation Can cause irritation after contact with the eyes.

corrosivity Not applicable.

sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Permethrin		Group 2A		X
52645-53-1		Group 3		
Pyrethrins		Group 2A		X
8003-34-7		•		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard Not applicable.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 0% of this mixture consist of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-gas) 2293333 mg/l ATEmix (inhalation-vapor) 658 mg/l

12. Ecological Information

ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates,		2.2: 96 h Lepomis		4720: 96 h Den-dronereides
hydrotreated light		macrochirus mg/L LC50		heteropoda mg/L LC50
64742-47-8		static 45: 96 h Pimephales		, ,
		promelas mg/L LC50		
		flow-through 2.4: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		
Permethrin		0.00188 - 0.00336: 96 h		
52645-53-1		Lepomis macrochirus mg/L		
		LC50 static 0.0108: 96 h		
		Lepomis macrochirus mg/L		
		LC50 0.00079: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 0.00049 -		
		0.00097: 96 h Oncorhynchus		
		mykiss mg/L LC50		
		flow-through 0.015: 96 h		
		Cyprinus carpio mg/L LC50		
		flow-through 0.008 - 0.03: 96		
		h Pimephales promelas		
		mg/L LC50 flow-through		
		0.0052 - 0.0077: 96 h		
		Cyprinus carpio mg/L LC50		
		0.001 - 0.009: 96 h		
		Pimephales promelas mg/L		
		LC50 static 0.0017 - 0.0048:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 static		
Pyrethrins		0.0322 - 0.0472: 96 h		
8003-34-7		Lepomis macrochirus mg/L		
		LC50 static 0.0031 - 0.0038:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 flow-through		
		0.0425 - 0.121: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through 0.054: 96		
		h Oncorhynchus mykiss		
		mg/L LC50 0.02 - 0.03: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static 0.074: 96 h		
		Lepomis macrochirus mg/L		
		LC50 0.224 - 0.458: 96 h		
		Pimephales promelas mg/L		
		LC50 static 0.003 - 0.0046:		
		96 h Lepomis macrochirus		
		mg/L LC50 flow-through		

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
n-butane	2.89
106-97-8	
Propane	2.3
74-98-6	
Permethrin	6.5
52645-53-1	

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Permethrin	Toxic
52645-53-1	
Pyrethrins	Toxic
8003-34-7	

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

<u>IATA</u>

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

IMDG

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

Marine pollutant This product contains an environmentally hazardous substance.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold
---------------	--------	----------	----------------------

			Values %
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard No
Fire Hazard yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			
8003-34-7				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Pyrethrins	1 lb		RQ 1 lb final RQ
8003-34-7			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			Х
7732-18-5			
n-butane 106-97-8	Χ	Λ	Χ
Propane 74-98-6	X	X	Х
Permethrin 52645-53-1	Х	Х	
Pyrethrins 8003-34-7	Х	Х	Х

U.S. EPA Label information

EPA Pesticide registration number 498-146

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Breathing spray mist may be harmful. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

16. Other information

NFPA Health Hazards 1 Flammability 1 Instability 1 Physical and chemical

properties Not applicable

HMIS Health Hazards 1 Flammability 2 Physical hazards 1 Personal Protection B

Eyes and hands protection

Prepared by Regulatory Department

Issue date 23-Jul-2018

Revision note

This SDS supersedes a previous SDS dated January 22, 2015.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet