

# **Safety Data Sheet**

Issue date 26-Jul-2017 Version 2

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name CHAMPION SPRAYON MULTI-PURPOSE INSECT & LICE KILLER

Chemical name 7-7956-4

Other means of identification

Product code FG 438-5106-8

Synonyms Multi-purpose insecticide

Registration number(s) 498-174

Recommended use of the chemical and restrictions on use

**Recommended Use** Flying and crawling insect killer.

**Uses advised against** See directions for use on product's label.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

**Emergency Telephone Number** 

**Company Phone Number** 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

### 2. Hazards Identification

### Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1B
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

### **Label Elements**

# **EMERGENCY OVERVIEW**

### DANGER

hazard statements

HARMFUL IF INHALED

May cause an allergic skin reaction

May cause cancer Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Off-white emulsion

Physical State Aerosol

**Odor** Cedarwood

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection.

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment: See additional cautionary statements on this label.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

### **Precautionary Statements - Storage**

Store locked up

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 122 °F (50 °C)

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

### Other Information

- Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

0% of this mixture consist of ingredient(s) of unknown toxicity.

# 3. Composition/information on Ingredients

Common Name Insecticide spray.

**Synonyms** Multi-purpose insecticide.

**Chemical Family** Pesticide. Formula 7-7956-4

Chemical nature Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	70-75	*
n-butane	106-97-8	10-15	*
Petroleum distillates, hydrotreated light	64742-47-8	5-10	*
Propane	74-98-6	1-5	*
Piperonyl Butoxide	51-03-6	1.00	*

Permethrin	52645-53-1	0.4	*
Pyrethrins	8003-34-7	0.2	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

#### **FIRST AID MEASURES**

**Eye Contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

**Skin contact**Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

**Inhalation** If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

**Ingestion** Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

**Symptoms** Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if

inhaled.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration neumonia

hazard.

### 5. Fire-fighting measures

#### Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

**Explosion data** 

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up**Clean contaminated surface thoroughly.

**Prevention of secondary hazards** Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated

absorbent and wash water should be disposed of according to local, state and federal

regulations.

# 7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or

mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B) .

**Incompatible Materials** Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

### 8. Exposure Controls/Personal Protection

#### Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³
Pyrethrins 8003-34-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m³ (vacated) TWA: 5 mg/m³	IDLH: 5000 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering controls**Use with adequate general or local exhaust ventilation.

#### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Rubber, vinyl or household type gloves required.

**Respiratory protection**None required. After spraying, leave the room and keep area closed for 15 minutes.

Thoroughly ventilate room before reentry. Sweep up and discard fallen insects.

General hygiene considerations Wash hands thoroughly after handling. Read and follow the USER SAFETY

RECOMMENDATIONS on the product label.

### 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical State Aerosol

Appearance Off-white emulsion Odor Cedarwood

**Color** White **Odor threshold** No information available

PropertyValuesRemarks • MethodpHNot applicableWater-oil emulsion.

pHNot applicableWater-oil emulsion.Melting point/freezing pointNot applicableNo information availableBoiling point/boiling rangeWater 212 °F/100 °CNo information available

Flash Point Not Available. This is an aerosol No information available

product for which Flame Projection is 0 inches. Temperatures above 120 °F

may cause cans to burst.

**Evaporation Rate** Faster than butyl acetate. No information available

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available

Upper flammability limits Lower Flammability Limit

Vapor pressure No information available

Vapor DensityNo information availableRelative Density0.945 - 0.952 concentrateNo information available

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition Temperature
Decomposition temperature
Kinematic viscosity
No information available

Explosive properties

No information available

No information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information available

**VOC content (%)** 14.53%

**Density** 7.87 - 7.93 lb/gal **Bulk Density** No information available

### 10. Stability and Reactivity

Reactivity

Not applicable Not applicable

**Chemical stability** 

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

**hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to Avoid** 

Temperatures above 122 °F (50 °C).

**Incompatible Materials** 

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

#### Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

### 11. Toxicological Information

#### Information on likely routes of exposure

**Product Information** Results below are for a very similar product with same concentration of active ingredients.

Inhalation Acute Inhalation III.

**Eye Contact** Primary Eye IV.

Skin contact Acute Dermal IV.

**Ingestion** Acute Oral IV.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5	- ' '		
n-butane	-	-	= 658 g/m <sup>3</sup> (Rat) 4 h
106-97-8			
Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
light			
64742-47-8			
Propane	-	-	= 658 mg/L (Rat) 4 h
74-98-6			
Piperonyl Butoxide	= 6150  mg/kg (Rat) = 4570  mg/kg	> 7950 mg/kg (Rat)	<u>-</u>
51-03-6	(Rat)		
Permethrin	= 220 mg/kg (Rat) = 383 mg/kg (	> 2 g/kg (Rabbit)> 5000 mg/kg(	> 0.69 mg/L (Rat) 4 h
52645-53-1	Rat )	Rat ) = 1750 mg/kg (Rat)	- , ,
Pyrethrins	= 200 mg/kg (Rat)	= 300 mg/kg (Rabbit) = 1350	= 3.4 mg/L (Rat) 4 h
8003-34-7		mg/kg(Rat)	- , ,

### Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Prolonged and repeated contact with skin may cause allergic reactions in some individuals.

**Serious eye damage/eye irritation** Can cause irritation after contact with the eyes.

corrosivityNot applicable.sensitizationNo a skin sensitizer.Germ cell mutagenicityNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl Butoxide		Group 3		
51-03-6		•		
Permethrin		Group 2A		X
52645-53-1		Group 3		
Pyrethrins		Group 2A		X
8003-34-7		•		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard Not applicable.

Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 0% of this mixture consist of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-gas) 2293333 mg/l ATEmix (inhalation-vapor) 658 mg/l

# 12. Ecological Information

### ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

16.1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates,		2.2: 96 h Lepomis		4720: 96 h Den-dronereides
hydrotreated light		macrochirus mg/L LC50		heteropoda mg/L LC50
64742-47-8		static 45: 96 h Pimephales		gr = ====
		promelas mg/L LC50		
		flow-through 2.4: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		
Permethrin		0.0052 - 0.0077: 96 h		
52645-53-1		Cyprinus carpio mg/L LC50		
02043 33 1		0.00188 - 0.00336: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 0.00049 -		
		0.00097: 96 h Oncorhynchus		
		mykiss mg/L LC50		
		flow-through 0.008 - 0.03: 96		
		h Pimephales promelas		
		mg/L LC50 flow-through		
		0.015: 96 h Cyprinus carpio		
		mg/L LC50 flow-through		
		0.0017 - 0.0048: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static 0.00079: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through 0.0108:		
		96 h Lepomis macrochirus		
		mg/L LC50 0.001 - 0.009: 96		
		h Pimephales promelas		
		mg/L LC50 static		
Pyrethrins		0.003 - 0.0046: 96 h		
8003-34-7		Lepomis macrochirus mg/L		
		LC50 flow-through 0.054: 96		
		h Oncorhynchus mykiss		
		mg/L LC50 0.0031 - 0.0038:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 flow-through		
		0.0322 - 0.0472: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 0.0425 - 0.121:		
		96 h Pimephales promelas		
		mg/L LC50 flow-through		
		0.074: 96 h Lepomis		
		macrochirus mg/L LC50		
		0.224 - 0.458: 96 h		
		Pimephales promelas mg/L		
		LC50 static 0.02 - 0.03: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static		

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
n-butane 106-97-8	2.89
Propane 74-98-6	2.3
Permethrin 52645-53-1	6.5

Other adverse effects No information available

# 13. Disposal Considerations

Waste treatment methods

**Disposal of wastes**Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Piperonyl Butoxide	Toxic
51-03-6	
Permethrin	Toxic
52645-53-1	
Pyrethrins	Toxic
8003-34-7	

# 14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

IATA

**UN/ID no** UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

**IMDG** 

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

Marine pollutant Not applicable

# 15. Regulatory information

International Inventories

**TSCA** All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

**DSL** All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

### **SARA 313**

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Piperonyl Butoxide - 51-03-6	51-03-6	1.00	1.0
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins	1 lb			
8003-34-7				

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Pyrethrins	1 lb		RQ 1 lb final RQ
8003-34-7			RQ 0.454 kg final RQ

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			X
n-butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X
Piperonyl Butoxide 51-03-6	X		
Permethrin 52645-53-1	Х	X	
Pyrethrins 8003-34-7	Х	X	Х

U.S. EPA Label information

EPA Pesticide registration number 498-174

**EPA Statement** 

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: HAZARDS TO HUMANS: Harmful if inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. HAZARDS TO DOMESTIC ANIMALS: For use on dogs and puppies (over 12 weeks old). Do not use on puppies less than 12 weeks old. Read entire label before each use. DO NOT USE ON CATS.

16. Other information								
NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not				
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	applicable  Personal Protection B -  Eyes and hands  protection				

Prepared by Regulatory Department

Issue date 26-Jul-2017

**Revision note** 

This SDS supersedes a previous SDS dated April 27, 2016.

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_