

Safety Data Sheet

Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	CHAMPION SPRAYON VISTA CLEER GLASS CLEANER 7-7694-1
Other means of identification	
Product code	FG 438-5155-7
Synonyms	Glass Cleaner
Recommended use of the chemical	and restrictions on use
Recommended Use	Glass surfaces.
Uses advised against	DO NOT USE ON FLOORS
Details of the supplier of the safety	data sheet
Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
Chase Products Co. 2727 Gardner Road	Chase Products Co. 2727 Gardner Road
2727 Gardner Road	2727 Gardner Road
2727 Gardner Road Broadview, IL 60155 708-865-1000 Emergency Telephone Number	2727 Gardner Road Broadview, IL 60155 708-865-1000
2727 Gardner Road Broadview, IL 60155 708-865-1000 Emergency Telephone Number Company Phone Number	2727 Gardner Road Broadview, IL 60155 708-865-1000 708-865-1000
2727 Gardner Road Broadview, IL 60155 708-865-1000 Emergency Telephone Number	2727 Gardner Road Broadview, IL 60155 708-865-1000 708-865-1000

2. Hazards Identification

Classification

Acute toxicity - Inhalation (Gases)	Category 4
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning				
hazard statements HARMFUL IF INHALED Contains gas under pressure; r	may explode	if heated		
Appearance Clear liquid that a aerosolized.	will be	Physical State Foam Aerosol	 Odor	Perfumed.

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Hazards not otherwise classified (HNOC) Other Information

• Causes mild skin irritation No information available

3. Composition/information on Ingredients

Common Name Synonyms Chemical Family Formula Chemical nature Glass Cleaner. Glass Cleaner. MIXTURES. 7-7694-1 Aqueous solution of organic solvent.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	85-90	*
2-Butoxyethanol	111-76-2	1-5	*
N-Butane	106-97-8	1-5	*
Propane	74-98-6	1-5	*
			V

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get medical attention if injury develops.
Ingestion	Ingestion from an aerosol product is unlikely to occur.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation. Chronic: 2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical ImpactContents under pressure, keep away from heat and open flame.Sensitivity to Static DischargeKeep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Use with adequate general or	ocal exhaust ventilation.	
For emergency responders	Remove all sources of ignition.		
Environmental precautions			
Environmental precautions	See Section 12 for additional E	cological Information.	
Methods and material for containm	ent and cleaning up		
Methods for Containment	Provide adequate ventilation to absorbent material.	o area being treated. Soak up s	pills with chemically inert,
Methods for cleaning up	Clean contaminated surface th	oroughly.	
7. Handling and Storage			
Precautions for safe handling			
Advice on safe handling	Do not deliberately inhale vapo	or or spray mist. Avoid getting s	spray into eyes.
Conditions for safe storage, includi	ing any incompatibilities		
Storage Conditions	Store in a cool, dry place away AEROSOL STORAGE LEVEL		ep out of reach of children.
Incompatible Materials	Avoid heat, open flame and co	ntact with strong oxidizers.	
8. Exposure Controls/Personal Protection			
Control parameters			
Exposure guidelines	See occupational exposure lim	its listed below.	
Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH

FG 438-5155-7 CHAMPION SPRAYON VISTA CLEER GLASS CLEANER

2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Conventional eyeglasses to guard against splashing.
Household type gloves, if desired.
None required if used in a well-ventilated area .
Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Appearance Color	Foam Aerosol Clear liquid that will be aerosolized. clear	Odor Odor threshold	Perfumed. No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	Values 10.95 - 11.01 Not applicable Water 212 °F/100 °C Not applicable. This is an aerosol product for which Flame Projection is in. with 0 in flashback. Product was tested for Enclosed Space Ignition Test and is not a flammable aerosol a defined on 29CFR 1910.122 Appendi B.3.	15	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	Faster than butyl acetate Not available Not available 0.992 - 1.102 concentrate	No information available No information available No information available No information available No information available No information available Soluble in water No information available No information available No information available No information available No information available No information available	
Dynamic viscosity Explosive properties	No information available	No information available	

Oxidizing properties

No information available

Other Information

Softening point Molecular weight VOC content (%) Density Bulk Density No information available No information available 8.88% 8.26 - 8.35 lb/gal No information available

10. Stability and Reactivity

Reactivity Not applicable

Not applicable

Chemical stability Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information	Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but consider unlikely).
Inhalation	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.
Eye Contact	Can cause irritation after contact with eyes.
Skin contact	May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may results on skin absorption of potentially harmful amounts.
Ingestion	This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
2-Butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (
111-76-2			Rat) 4 h
N-Butane	-	-	= 658 g/m ³ (Rat) 4 h
106-97-8			
Propane	-	-	> 800000 ppm (Rat) 15 min
74-98-6			

Information on toxicological effects

Symptoms	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.
Delayed and immediate effects as v	vell as chronic effects from short and long-term exposure_
Skin corrosion/irritation	May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may results on skin absorption of potentially harmful amounts.
Serious eye damage/eye irritation corrosivity	Can cause irritation after contact with the eyes. Not applicable.
sensitization	No a skin sensitizer.
Germ cell mutagenicity	No information available.
Carcinogenicity	Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and
	nausea.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	9812 mg/kg
ATEmix (dermal)	22965 mg/kg
ATEmix (inhalation-gas)	14583 mg/l
ATEmix (inhalation-dust/mist)	31.3 mg/l
ATEmix (inhalation-vapor)	5821 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
111-76-2		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
111-76-2	
N-Butane	2.89
106-97-8	
Propane	2.3
74-98-6	

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

14. Transport Information

<u>DOT</u> UN/ID no Proper Shipping Name Hazard Class	Limited Quantity Consumer Commodity ORM-D
IATA_ UN/ID no Proper Shipping Name Hazard Class	UN1950 Aerosols, flammable 2.1
IMDG UN/ID no	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1
Marine pollutant	This product does not contain marine pollutants.

15. Regulatory information

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard

yes

Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
2-Butoxyethanol 111-76-2	Х	X	Х
N-Butane 106-97-8	Х	X	Х
Propane 74-98-6	Х	Х	Х

U.S. EPA Label information

Prepared by

EPA Pesticide registration number Not applicable

16. Other information				
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Eyes and hands protection

Regulatory Department

Issue date 23-May-2019 Revision note This SDS supersedes a previous SDS dated February 23, 2015. Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet