SAFETY DATA SHEET

1. Identification

Product number 1000002466

Product identifier CAMIE 313B UPHOLSTERY ADHESIVE

Camie-Campbell, Inc. Company information 1005 S. Westgate Drive

Addison, IL 60101 United States

www.camie.com

General Assistance 1-800-325-9572 Company phone

Emergency telephone US 1-866-836-8855 **Emergency telephone outside**

1-952-852-4646

US

01 Version #

Recommended use UPHOLSTERY ADHESIVE BULK

Recommended restrictions None known.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Germ cell mutagenicity Category 1

Carcinogenicity Category 1

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

May cause genetic defects. May cause cancer. **Hazard statement**

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read Prevention

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------------------------|--------------------------|------------|---------|
| Methylene Chloride | | 75-09-2 | 80 - 90 |
| Propylene Oxide | | 75-56-9 | 0.1 - 1 |
| Other components below reportable | levels | | 10 - 20 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Product name: CAMIE 313B UPHOLSTERY ADHESIVE Product #: 1000002466 Version #: 01 Issue date: 03-30-2015 **Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Symptoms may be delayed.

Most important

symptoms/effects, acute and

delayed

media

Dizziness. Nausea. Irritation of eyes and mucous membranes. Skin irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

| Components | Туре | Value | |
|--|--|-------------|--|
| Methylene Chloride (CAS 75-09-2) | STEL | 125 ppm | |
| | TWA | 25 ppm | |
| | | | |
| US. OSHA Table Z-1 Limits for A | Air Contaminants (29 CFR 1910.100 | 0) | |
| US. OSHA Table Z-1 Limits for A Components | ir Contaminants (29 CFR 1910.100 Type | 0) Value | |
| | • | • | |

US. ACGIH Threshold Limit Values

| Components | Туре | Value | |
|----------------------------------|------|--------|--|
| Methylene Chloride (CAS 75-09-2) | TWA | 50 ppm | |
| Propylene Oxide (CAS 75-56-9) | TWA | 2 ppm | |

Biological limit values

ACGIH Biological Exposure Indices

| Components | Value | Determinant | Specimen | Sampling Time |
|----------------------------------|----------|---------------------|----------|---------------|
| Methylene Chloride (CAS 75-09-2) | 0.3 mg/l | Dichlorometha ne | Urine | * |

^{* -} For sampling details, please see the source document.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Use of an impervious apron is recommended.

Skin protection

Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.

Initial boiling point and boiling

Melting point/freezing point

na bonning point and bonning

range

103.55 °F (39.75 °C) estimated

Flash point 446.0 °F (230.0 °C) estimated

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 631.11 psig @70F estimated

Vapor densityNot available.Relative densityNot available.

Product name: CAMIE 313B UPHOLSTERY ADHESIVE

Solubility(ies)

Solubility (water)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature 750.2 °F (399 °C) estimated

Decomposition temperatureNot available.ViscosityNot available.

Other information

Specific gravity 0.155 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Not available.

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Dizziness. Nausea. Irritation of eyes and mucous membranes. Skin irritation.

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results | |
|---------------------------|----------|---------------------------|--|
| Methylene Chloride (CAS 7 | 75-09-2) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rat | > 2000 mg/kg, Days | |
| Inhalation | | | |
| LC50 | Mouse | 49 mg/l, 7 Hours | |
| Propylene Oxide (CAS 75-5 | 56-9) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | 950 - 1250 mg/kg, 4 Hours | |
| | | 1.5 ml/kg, 4 Hours | |
| Inhalation | | | |
| LC50 | - | 4197 ppm, 4 Hours | |
| | | 4124 mg/m3, 4 Hours | |
| Oral | | - | |
| LD50 | Rat | 382 - 587 mg/kg | |
| | | | |

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Product name: CAMIE 313B UPHOLSTERY ADHESIVE

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylene Chloride (CAS 75-09-2)

2B Possibly carcinogenic to humans.

Propylene Oxide (CAS 75-56-9)

2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene Chloride (CAS 75-09-2) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Methylene Chloride (CAS 75-09-2)

Propylene Oxide (CAS 75-56-9)

Reasonably Anticipated to be a Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | | Species | Test Results |
|-----------------------|--------------|--------------------------------------|------------------------------|
| Methylene Chloride (C | CAS 75-09-2) | | |
| Aquatic | | | |
| Algae | IC50 | Algae | 500.0001 mg/L, 72 Hours |
| Crustacea | EC50 | Daphnia | 1689.5 mg/L, 48 Hours |
| | | Water flea (Daphnia magna) | 1250 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 140.8 - 277.8 mg/l, 96 hours |
| Propylene Oxide (CAS | S 75-56-9) | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 350 mg/L, 48 Hours |

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Methylene Chloride 1.25 Propylene Oxide 0.03

Mobility in soil No data available.

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

Methylene Chloride (CAS 75-09-2) U080

Product name: CAMIE 313B UPHOLSTERY ADHESIVE
Product #: 1000002466 Version #: 01 Issue date: 03-30-2015

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2810

UN proper shipping name Toxic, liquids, organic, n.o.s. (dichloromethane)

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk 6.1 Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB3, T7, TP1, TP28 Special provisions

Packaging exceptions 153 203 Packaging non bulk Packaging bulk 241

IATA

UN number UN2810

UN proper shipping name Transport hazard class(es) Toxic liquid, organic, n.o.s. (dichloromethane)

Class 6.1(PGIII)

Subsidiary risk 6.1 Label(s) Ш Packing group **Environmental hazards** No. **ERG Code** 6L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only

Allowed.

IMDG

UN number UN2810

UN proper shipping name Transport hazard class(es) TOXIC LIQUID, ORGANIC, N.O.S. (dichloromethane)

6.1(PGIII) **Class** Subsidiary risk Label(s) 6.1 Packing group Ш

Environmental hazards

Marine pollutant No. **EmS** F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Product name: CAMIE 313B UPHOLSTERY ADHESIVE



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Methylene Chloride (CAS 75-09-2) Listed. Propylene Oxide (CAS 75-56-9) Listed.

SARA 304 Emergency release notification

Propylene Oxide (CAS 75-56-9) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene Chloride (CAS 75-09-2) Cancer

Heart

Central nervous system

Liver Skin irritation Eye irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

| Chemical name | CAS number | Reportable quantity | Threshold planning quantity | Threshold planning quantity, lower value | Threshold planning quantity, upper value |
|---------------------------|---------------------|---------------------|-----------------------------|--|--|
| Propylene Oxide Phenol | 75-56-9 108-95-2 | 100 1000 | 10000 lbs | 500 lbs | 10000 lbs |

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|--------------------|------------|------------|--|
| Methylene Chloride | 75-09-2 | 80 - 90 | |
| Propylene Oxide | 75-56-9 | 0.1 - 1 | |
| Ethyl Benzene | 100-41-4 | 0.01 - 0.1 | |
| Styrene | 100-42-5 | 0.01 - 0.1 | |

Product name: CAMIE 313B UPHOLSTERY ADHESIVE

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methylene Chloride (CAS 75-09-2) Propylene Oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Propylene Oxide (CAS 75-56-9)

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Methylene Chloride (CAS 75-09-2) Propylene Oxide (CAS 75-56-9)

US. New Jersey Worker and Community Right-to-Know Act

Methylene Chloride (CAS 75-09-2) Propylene Oxide (CAS 75-56-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Methylene Chloride (CAS 75-09-2) Propylene Oxide (CAS 75-56-9)

US. Rhode Island RTK

Methylene Chloride (CAS 75-09-2) Propylene Oxide (CAS 75-56-9)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethyl Benzene (CAS 100-41-4) Listed: June 11, 2004 Methylene Chloride (CAS 75-09-2) Listed: April 1, 1988 Propylene Oxide (CAS 75-56-9) Listed: October 1, 1988

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| | | |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

03-30-2015 Issue date

Version # 01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product and Company Identification: Alternate Trade Names **Revision Information**

Product name: CAMIE 313B UPHOLSTERY ADHESIVE