

Issue Date 08-Aug-2011 Revision Date: 04-Nov-2013			Version 1.0
	1. IDENTIFICATION		
<u>Product Identifier</u> Product Name	Neutra-Odor		
Other Means of Identification Product Code	015400		
Recommended use of the Chemica Recommended Use	al and Restrictions on Use Air deodorizer concentrate. For industrial use.		
<u>Details of the Supplier of the Safet</u> Midlab, Inc. 140 Private Brand Way Athens, TN 37303	y Data Sheet		
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-423-337-3180 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
	2. HAZARDS IDENTIFICATION		
Appearance Colorless to amber	Physical State Liquid		Odor Clean
Classification			
Serious eye damage/eye irritation Flammable Liquids		Category 2 Category 3	
<u>Signal Word</u> Warning			•
<u>Hazard Statements</u> Causes serious eye irritation. Flammable liquid and vapor.			

## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Keep container tightly closed and away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment, taking precautionary measures against static discharge. Use only non-sparking tools and explosion-proof equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

## Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

# IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction.

## Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

## **Other Hazards**

Toxic to aquatic life with long lasting effects.

<u>Unknown Acute Toxicity</u> 3.0% of the mixture consists of ingredient(s) of unknown toxicity.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Isopropyl Alcohol	67-63-0	7-14
Nonylphenoxypolyethoxyethanol	68412-54-4	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

4. FIRST-AID MEASURES			
First Aid Measures			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.		
Skin Contact	If skin irritation occurs, rinse affected area with water.		
Inhalation	No known hazardous effects. If symptoms occur, remove to fresh air.		
Ingestion	Drink plenty of water. If any discomfort persists, obtain medical attention.		
Most Important Symptoms and Effe	ects		
Symptoms	Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. Prolonged or repeated skin contact may cause irritation.		
Indication of Any Immediate Medica	al Attention and Special Treatment Needed		
Notes to Physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam. Unsuitable Extinguishing Media Not determined.			
Specific Hazards Arising from the Chemical Flammable.			
Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.			
6. ACCIDENTAL RELEASE MEASURES			

## Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** Avoid release to the environment.

## Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Clean-Up	Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.			
	7. HANDLING AND STORAGE			
Precautions for Safe Handling				
Advice on Safe Handling	Wash thoroughly after handling. Use personal protection recommended in Section 8. Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with eyes. Observe good industrial hygiene practices.			

#### Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep out of the reach of children.
Incompatible Materials	None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

## **Appropriate Engineering Controls**

Engineering Controls	Ventilation systems.		
Individual Protection Measures, such as Personal Protective Equipment			
Eye/Face Protection	No protective equipment is needed under normal use conditions.		
Skin and Body Protection	None required under normal use.		
Respiratory Protection	No protective equipment is needed under normal use conditions.		
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on Basic Physical and Chemical Properties

Physical State	Э
Appearance	
Color	

Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Liquid Clear Colorless to amber

<u>Values</u> 6.5-7.0 ~ 0 °C / ~32 °F ~ 100 °C / ~212 °F 40 °C / 104 °F Odor Odor Threshold Clean Not determined

## Remarks • Method

Tag Open Cup

Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Upper Flammability Limits	Not determined
Lower Flammability Limit	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Specific Gravity	0.99
Water Solubility	Completely soluble
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

@ 25 °C (77 °F)

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

#### **Incompatible Materials**

None known.

## **Hazardous Decomposition Products**

When exposed to fire, produces normal products of combustion.

## **11. TOXICOLOGICAL INFORMATION**

## Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes serious eye irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	Do not taste or swallow.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 4396 mg/kg(Rat)	= 12800 mg/kg (Rat)= 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat)4 h

## Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

#### Carcinogenicity

Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		Х

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

#### **Numerical Measures of Toxicity**

Not determined

**Unknown Acute Toxicity** 

3.0% of the mixture consists of ingredient(s) of unknown toxicity.

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	-	13299: 48 h Daphnia magna mg/L EC50

## Persistence/Degradability

Not determined

#### **Bioaccumulation**

Not determined

#### Mobility

Chemical Name	Partition Coefficient	
Isopropyl Alcohol 67-63-0	0.05	

## **Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	

## **14. TRANSPORT INFORMATION**

#### Note

DOT

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

Not regulated when shipped in containers less than 119 gallons

<u>IATA</u>

IMDG Marine Pollutant

This material may meet the definition of a marine pollutant

## **15. REGULATORY INFORMATION**

#### International Inventories

Not determined

#### US Federal Regulations

#### SARA 311/312 Hazard Categories

## Acute Health Hazard

Yes

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical Name	State List	
Isopropyl Alcohol	MA, NJ, PA	
67-63-0	IVIA, NJ, FA	

AZ – Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA – California Director's List of Hazardous Substances

CAP65 – California Prop 65

FL – Florida Substances List

ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ - New Jersey Right to Know List

PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

## **16. OTHER INFORMATION**

NFPA	Health Hazards	Flammability	Instability
	Not determined	Not determined	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards
	2	2	0
	2	2	0

**Issue Date** 08-Aug-2011 **Revision Date:** 04-Nov-2013 **Revision Note** New format Version 1.0 st

**Special Hazards** Not determined **Personal Protection** Not determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

**End of Safety Data Sheet**