## Safety Data Sheet

			9	Section 1 - Pr	oduct Infor	mation					
Product Name:	: interspotter						Supplier:	Intercon Chemical Company			
Product Code Number: 0887 Information Ph				Phone:1-314-771-	6600		Address:	1100 Central Industrial Drive			
Product use:	Carpet and Fabric spot remover Emergency Cont			ontact:CHEMTREC	1-800-424-930	)	Address.	St. Louis MO 63110			
			S	Section 2 - Ha	azard Identif	ication					
GHS Classificat	ion: Does not cor	ntain sufficient qu	antities of hazard	dous material to w	arrant GHS class	fication					
				Section 2.1	- Label Elen	nents					
	Hazard	l Pictograms			Precautionary Statements:						
		NA		Avoid	d skin and eye co	ntact. Use gene	ral safety praction	ces when working with chemicals.			
Signal Word: N	IA										
		Statements:									
	May cause ski	n and eye irritatio	n 								
				Section 3	- Composit	on					
	Chem	nical Name			CA	S #		Percent w/w			
Sodium Tripoly	phospate				7758	-29-4		1			
Sodium Silicate					1344-09-8			<1			
				Section 4 - F	irst Aid Mea	sures					
SKIN: Wash wit	th soap & water t	for 15 minutes. Se		Section 4 - F	irst Aid Mea	sures					
	-	for 15 minutes. Se for 15 minutes & :	ee physician if irrit		irst Aid Mea	sures					
EYES: Flush wit	th flowing water	for 15 minutes &	ee physician if irrit see physician.	tation persists.			l a POISON cent	er or doctor if you feel unwell.			
EYES: Flush wit	th flowing water	for 15 minutes &	ee physician if irrit see physician.	tation persists.			l a POISON cent	er or doctor if you feel unwell.			
EYES: Flush wit	th flowing water	for 15 minutes &	ee physician if irrit see physician.	tation persists.			l a POISON cento	er or doctor if you feel unwell.			
EYES: Flush wit	th flowing water	for 15 minutes &	ee physician if irrit see physician. ; Do not induce vo	tation persists. omiting unless ins	tructed to do so	oy a doctor. Cal		er or doctor if you feel unwell.			
EYES: Flush wit	th flowing water	for 15 minutes &	ee physician if irrit see physician. ; Do not induce vo Sectio	tation persists.  omiting unless ins	tructed to do so	oy a doctor. Cal Hazard Dat	a	er or doctor if you feel unwell.  es: Avoid exposure to fumes or vapors.			
EYES: Flush wit INGESTION: Gi Flash Point:	th flowing water ve milk or water	for 15 minutes &	ee physician if irrit see physician. ; Do not induce vo Sectio Extinguishing M	tation persists.  omiting unless ins	tructed to do so	oy a doctor. Cal  Hazard Dat  Special Fire Fig  Wear self-conta	a hting Procedure ained positive pr	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus			
EYES: Flush wit	th flowing water ve milk or water  Limits	for 15 minutes & sto dilute material,	ee physician if irrit see physician. ; Do not induce vo Sectio Extinguishing M	tation persists.  omiting unless ins  on 5 - Fire and  ledia:	tructed to do so	oy a doctor. Cal Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A	a hting Procedure ained positive pr Approved or equ	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi Flash Point:	th flowing water ve milk or water  Limits	for 15 minutes & to dilute material,	see physician if irrit see physician.  ; Do not induce vo  Section  Extinguishing Modern of the properties of the proper	omiting unless inso on 5 - Fire and ledia: , carbon dioxide if	tructed to do so  d Explosion  product	Dy a doctor. Cal Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA	th flowing water ve milk or water  Limits  LEL  UEL	for 15 minutes & sto dilute material,	Section Extinguishing Month of the control of the c	omiting unless inso on 5 - Fire and ledia: , carbon dioxide if	d Explosion product	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA	th flowing water ve milk or water  Limits  LEL  UEL	for 15 minutes & sto dilute material,	Section Extinguishing Month of the control of the c	omiting unless inso on 5 - Fire and ledia: , carbon dioxide if	d Explosion product	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA	th flowing water ve milk or water  Limits  LEL  UEL	for 15 minutes & sto dilute material,	Section Extinguishing Month of the control of the c	omiting unless inso on 5 - Fire and ledia: , carbon dioxide if	d Explosion product	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA	th flowing water ve milk or water  Limits  LEL  UEL	for 15 minutes & sto dilute material,	Section Extinguishing Month of the control of the c	omiting unless inso on 5 - Fire and ledia: , carbon dioxide if	d Explosion product	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA	th flowing water ve milk or water  Limits  LEL  UEL	for 15 minutes & sto dilute material,	Section Extinguishing Month of the control of the c	omiting unless inso on 5 - Fire and ledia: , carbon dioxide if	d Explosion product	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	for 15 minutes & sto dilute material,  NA  NA  NA  rrs with plenty of v	Section  Extinguishing More of the control of the c	omiting unless insome 5 - Fire and ledia: , carbon dioxide if on 6 - Accide to be slippery, use of the slippery of the slipper of t	d Explosion product ental Release care to avoid falls	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA MEASURES	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	for 15 minutes & sto dilute material,  NA  NA  NA  rrs with plenty of v	Section  Extinguishing More of the control of the c	omiting unless insome the control of	d Explosion product ental Release care to avoid falls	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA MEASURES	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	for 15 minutes & sto dilute material,  NA  NA  NA  rrs with plenty of v	Section  Extinguishing More of the control of the c	omiting unless insome 5 - Fire and ledia: , carbon dioxide if on 6 - Accide to be slippery, use of the slippery of the slipper of t	d Explosion product ental Release care to avoid falls	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA MEASURES	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	for 15 minutes & sto dilute material,  NA  NA  NA  rrs with plenty of v	Section  Extinguishing Managerical involved.  Section  Extinguishing Managerical involved.  Section  S	omiting unless insome 5 - Fire and ledia: , carbon dioxide if on 6 - Accide to be slippery, use of the slippery of the slipper of t	tructed to do so  d Explosion  product  ental Release care to avoid falls  andling and senting analysis and senting and senting and senting and senting and sentin	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA E Measures . Storage sed container.	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	for 15 minutes & sto dilute material,  NA  NA  NA  rrs with plenty of v	Section  Extinguishing Managerical involved.  Section  Extinguishing Managerical involved.  Section  S	omiting unless insomiting unless insomiting unless insom 5 - Fire and ledia:  carbon dioxide if the second of the slippery, use of the slippery, use of the slippery of the slipper of	tructed to do so  d Explosion  product  ental Release care to avoid falls  andling and senting analysis and senting and senting and senting and senting and sentin	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA E Measures . Storage sed container.	a hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	to dilute material,  NA  NA  NA  urs with plenty of v	Section  Extinguishing M Dry chemical, involved.  Section  Extension M Section  Sect	omiting unless insomiting unless insom 5 - Fire and ledia:  , carbon dioxide if  on 6 - Accide  be slippery, use of  section 7 - Ha  er use. Store uprige	d Explosion  product  ental Release care to avoid falls  indling and senting of the control of t	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA MEASURES	A hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8 will not burn. eneral Hygiene Considerations: ordance with good industrial hygiene and			
EYES: Flush wit INGESTION: Gi  Flash Point: NA  Mop up spills a	Limits LEL UEL and flush to sewe	NA NA NA use only, not inter	Section  Extinguishing Modern involved.  Section  Extinguishing Modern involved.  Section  Section  ACGIH TLV	comiting unless insomiting unless insomiting unless insom 5 - Fire and ledia:  carbon dioxide if the carbon dioxide if the slippery, use of the slippery, use of the slippery of the slipper of the sli	d Explosion  product  ental Release care to avoid falls  indling and s the in original close  posure Conti	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA Measures Measures Measures	A hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus iivalent to maintain TLV. UNUSUAL FIRE 8 will not burn.  eneral Hygiene Considerations: ordance with good industrial hygiene and s. Provide suitable facilities for quick			
EYES: Flush wit INGESTION: Given the second	Limits LEL UEL and flush to sewe	NA  NA  NA  OSHA PEL:	Section  Extinguishing M Dry chemical, involved.  Section  Extinguishing M Dry chemical, involved.  Section  Section  ACGIH TLV NA	omiting unless insomiting unless insomiting unless insom 5 - Fire and ledia:  carbon dioxide if  on 6 - Accide by be slippery, use of  section 7 - Ha er use. Store uprige  Respiratory:  Eye:	tructed to do so  d Explosion  product  ental Release are to avoid falls  indling and sht in original close  posure Continues  presented to the present of t	Hazard Dat Special Fire Fig Wear self-conta MSHA/NIOSH A EXPLOSION HA EMEASURES	A hting Procedure ained positive pr Approved or equ IZARD: Product	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus sivalent to maintain TLV. UNUSUAL FIRE 8 will not burn.  eneral Hygiene Considerations: ordance with good industrial hygiene and s. Provide suitable facilities for quick sushing of the eyes and body in case of			

			Section	9 - Physical	and Chemic	cal Properti	es			
						Evaporation		Upper/lower	Vapor	
Appearance	odor	odor threshold	pH	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure	
Colorless Liq	lemon	NE	12	NE	212ºF	>1.0(water =1)	No	NA	17mm(Hg)	
Vapor Density	Density	Specific Gravity	pH(use dil)	Solubility(H₂O)	Partition coefficient	Auto Ignition temp	Viscosity	Decomposition Temp		
.62(air = 1)	8.3	1	NA	complete	NE	NA	thin	NE		
, ,			Sec	tion 10 - Sta	bility and R	Reactivity	ı	•		
	-	Oxides may occur.	occur. It is incom	працые with st	rong oxidizing a	gents. II burnea	normal combus	tion products such as Carbo	on bloxide,	
			Secti	ion 11- Toxi	cological In	formation				
ingredient		Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure	
Sodium Tripolyphospate		5400mg/kg	no effect	no effect	no info	no info	no info	no info	no info	
Sodium Silicate		Not tested	NA							
No information :		2 - Ecological In	formation		Section 13 - Disposal Considerations  This product, in its original form, is not considered to be a hazardous waste by RCRA.  Dispose of in accordance to local, state and federal regulations.					
			Sec	tion 14 - Tra	ansport Info	ormation				
UN number	Basic Description(DOT)  Not Regulated					Class	Packing Group	LTD QTY		
			_	tion 15 - Reg	zulatory Inf	ormation	<u> </u>			
SARA Title 3: Do	es not contain	reportable chemicals			•		endments and R	Reauthorization Act of 1986		
CERCLA:Does no	ot contain cher	micals subject to repo	rting under CERO	CLA. For more in	formation consu	ult 40 CFR parts 3	302, 355, 370, 3	72, and 40 CFR part 68		
			S	ection 16 - (	Other Infor	mation				
WHMIS:		T			: Health - 1 Flam 0 R - 0 PPE- A					
Date Prenared: (	04-09-2015	1		Prepared by: E	nvironmental, F	lealth and Safety				
vate i repareu. t					dodgo and holio	f at the date of i	ts publication. T	he information given is des	igned only as	