

Version: 1.1 Revision Date: 04/03/2020

SAFETY DATA SHEET

1. Identification

Product identifier: CLAIRE DISINFECTANT SPRAY Q - COUNTRY FRESH SCENT

Other means of identification SDS number: RE1000038686

Recommended restrictions Product Use: Disinfectant Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

| Company Name: | CLAIRE MANUFACTURING COMPANY |
|---------------|------------------------------|
| Address: | 1000 Integram Dr |
| | Pacific, MO 63069 |
| Telephone: | 1-630-543-7600 |
| Fax: | |

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

| Serious Eye Damage/Eye Irritation | Category 2A |
|-----------------------------------|-------------|
|-----------------------------------|-------------|

Label Elements

Hazard Symbol:





| Response: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
|---|--|
| Storage: | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. |
| Hazard(s) not otherwise classified (HNOC): | None. |

3. Composition/information on ingredients


Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------------------------|------------|-------------------------|
| Ethanol | 64-17-5 | 10 - <20% |
| Ethanol, 2-(2-butoxyethoxy)- | 112-34-5 | 10 - <20% |
| Propane | 74-98-6 | 1 - <5% |
| Butane | 106-97-8 | 1 - <5% |
| Glycine, N,N'-1,2-ethanediylbis[N- | 64-02-8 | 1 - <3% |
| (carboxymethyl)-, sodium salt (1:4) | | |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| Ingestion: | Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. | |
|-----------------------------------|--|------|
| Inhalation: | Move to fresh air. | |
| Skin Contact: | Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. | |
| Eye contact: | Immediately flush with plenty of water for at least 15 minutes. If easy to remove contact lenses. Get medical attention. | do, |
| Most important symptoms/effect | s, acute and delayed | |
| Symptoms: | No data available. | |
| Hazards: | No data available. | |
| Indication of immediate medical | attention and special treatment needed | |
| Treatment: | No data available. | |
| 5. Fire-fighting measures | | |
| General Fire Hazards: | Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so with risk. | out |
| Suitable (and unsuitable) extingu | uishing media | |
| Suitable extinguishing media: | Use fire-extinguishing media appropriate for surrounding materials. | |
| Unsuitable extinguishing media: | Do not use water jet as an extinguisher, as this will spread the fire. | - / |
| SDS_US - RE1000038686 | | 2/13 |





| Specific hazards arising from the chemical: | Vapors may travel considerable distance to a source of ignition and flash back. | | | |
|--|--|--|--|--|
| Special protective equipment and precautions for firefighters | | | | |
| Special fire fighting procedures: | No data available. | | | |
| Special protective equipment for fire-fighters: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. | | | |
| 6. Accidental release measures | 6 | | | |
| Personal precautions, protective equipment and emergency procedures: | Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. | | | |
| Methods and material for containment and cleaning up: | Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. | | | |
| Notification Procedures: | Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk. | | | |
| Environmental Precautions: | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. | | | |
| 7. Handling and storage | | | | |
| Precautions for safe handling: | Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. | | | |
| Conditions for safe storage, including any incompatibilities: | Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1 | | | |

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Туре | Exposure | Limit Values | Source |
|--|------|-----------|--------------|--|
| Ethanol | REL | 1,000 ppm | 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm | 1,900 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm | 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 1,000 ppm | | US. ACGIH Threshold Limit Values (2009) |
| Ethanol, 2-(2-butoxyethoxy)- - Inhalable fraction and vapor. | TWA | 10 ppm | | US. ACGIH Threshold Limit Values (03 2013) |
| Propane | REL | 1,000 ppm | 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |



| Butane | REL | 800 ppm | 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards |
|-----------------------------------|-----------|-----------|-------------|--|
| | 0751 | | | (2005) |
| | STEL | 1,000 ppm | | US. ACGIH Threshold Limit Values (03 2018) |
| | TWA | 800 ppm | 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| 2-Propanol, 2-methyl- | STEL | 150 ppm | 450 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards |
| | | | | (2005) |
| | TWA | 100 ppm | 300 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | PEL | 100 ppm | 300 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants |
| | | | | (29 CFR 1910.1000) (02 2006) |
| | TWA | 100 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | STEL | 150 ppm | 450 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | REL | 100 ppm | 300 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards |
| | | | _ | (2005) |
| Sodium hydroxide (Na(OH)) | Ceiling | | 2 mg/m3 | US. ACGIH Threshold Limit Values (2008) |
| | Ceiling | | 2 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | Ceil_Time | | 2 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | | 2 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Ammonium hydroxide ((NH4)(OH)) | STEL | 35 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | TWA | 25 ppm | | US. ACGIH Threshold Limit Values (2008) |
| | STEL | 35 ppm | 27 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 35 ppm | 27 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | REL | 25 ppm | 18 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 50 ppm | 35 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Acetic acid, phenylmethyl ester | TWA | 10 ppm | | US. ACGIH Threshold Limit Values (2008) |

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

| General information: | Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
|-------------------------------------|--|
| Eye/face protection: | Wear safety glasses with side shields (or goggles). |
| Skin Protection Hand Protection: | No data available. |
| Other: | No data available. |
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. |
| Hygiene measures: | Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. |

9. Physical and chemical properties

Appearance Physical state: Form: Color:

liquid Spray Aerosol No data available.



| Odor: | No data available. |
|---|-------------------------------------|
| Odor threshold: | No data available. |
| pH: | No data available. |
| Melting point/freezing point: | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point: | Estimated -104.44 °C |
| Evaporation rate: | No data available. |
| Flammability (solid, gas): | No data available. |
| Upper/lower limit on flammability or explosiv | e limits |
| Flammability limit - upper (%): | Estimated 9.5 %(V) |
| Flammability limit - lower (%): | Estimated 1.9 %(V) |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | Estimated 5,171 - 6,550 hPa (20 °C) |
| Vapor density: | No data available. |
| Density: | No data available. |
| Relative density: | No data available. |
| Solubility(ies) | |
| Solubility in water: | No data available. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | No data available. |
| | |

10. Stability and reactivity

| Reactivity: | No data available. |
|--------------------------------------|---|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | No data available. |

11. Toxicological information

| Information on likely routes of exposure Inhalation: No data available. | | |
|--|--------------------|--|
| Skin Contact: | No data available. | |
| Eye contact: | No data available. | |
| Ingestion: | No data available. | |



Symptoms related to the physical, chemical and toxicological characteristics Inhalation: No data available. Skin Contact: No data available. Eve contact: No data available. No data available. Ingestion: Information on toxicological effects Acute toxicity (list all possible routes of exposure) Oral Product: ATEmix: 149,894.74 mg/kg Dermal **Product:** Not classified for acute toxicity based on available data. Specified substance(s): Ethanol LD 50 (Rabbit): 17,100 mg/kg Ethanol, 2-(2-LD 50 (Rabbit): 2,764 mg/kg butoxyethoxy)-Glycine, N,N'-1,2-LD 50: > 2,000 mg/kg ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) Inhalation Product: Not classified for acute toxicity based on available data. Specified substance(s): Ethanol LC 50 (Rat): 124.7 mg/l LC 50: > 5 mg/l Ethanol, 2-(2-LC 50 (Various): > 20 mg/l butoxyethoxy)-Propane LC 50: > 100 mg/l LC 50: > 100 mg/l **Butane** LC 50: > 100 mg/l LC 50: > 100 mg/l Glycine, N,N'-1,2-LOAEL (Rat): 30 mg/m3 ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) Repeated dose toxicity **Product:** No data available. Specified substance(s): Ethanol NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result, Key study



| Ethanol, 2-(2- butoxyethoxy)- | NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental result, Key study |
|--|--|
| | NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d): 14 ppm(m) Inhalation |
| Propane | Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study |
| Butane | LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation |
| | Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study |
| Glycine, N,N'-1,2- ethanediylbis[N- | NOAEL (Rat(Female, Male), Oral, 103 Weeks): >= 500 mg/kg Oral Read- across from supporting substance (structural analogue or surrogate), Key |
| (carboxymethyl)-, sodium salt (1:4) | study LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study |
| Skin Corrosion/Irritation Product: | No data available. |
| Specified substance(s): Ethanol | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Ethanol, 2-(2- butoxyethoxy)- | in vivo (Rabbit): Not irritant Experimental result, Supporting study |
| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Serious Eye Damage/Eye Irritation Product: | on No data available. |
| Specified substance(s): Ethanol | Rabbit, 1 - 24 hrs: Not irritating |
| Ethanol, 2-(2- butoxyethoxy)- | Rabbit, 24 - 72 hrs: Highly irritating |
| Respiratory or Skin Sensitization Product: | n No data available. |
| Specified substance(s): | |
| Ethanol Ethanol, 2-(2- | Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising |
| butoxyethoxy)- Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | Skin sensitization:, in vivo (Guinea pig): Non sensitising |
| Carcinogenicity Product: | No doto ovoilable |
| | No data available. |



- IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
- US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified
- US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

| In vitro Product: | No data available. |
|---|--|
| In vivo Product: | No data available. |
| Reproductive toxicity Product: | No data available. |
| Specific Target Organ Toxicit Product: | y - Single Exposure No data available. |
| Specific Target Organ Toxicit Product: | y - Repeated Exposure No data available. |
| Aspiration Hazard Product: | No data available. |
| Other effects: | No data available. |

12. Ecological information


Ecotoxicity:

Acute hazards to the aquatic environment:

| Fish Product: | No data available. |
|--|---|
| Specified substance(s): Ethanol | LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study |
| Ethanol, 2-(2- butoxyethoxy)- | LC 50 (Lepomis macrochirus, 96 h): 1,300 mg/l Experimental result, Key study LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result, Supporting study |
| Propane | LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study |
| Butane | LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study |
| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | LC 50 (Lepomis macrochirus, 96 h): 121 mg/l Experimental result, Key study NOAEL (Lepomis macrochirus, 96 h): 88 mg/l Experimental result, Key study |
| Aquatic Invertebrates | |

No data available.

Product:





| Specified substance(s): Ethanol | LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study |
|--|---|
| Ethanol, 2-(2- butoxyethoxy)- | LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting study |
| Butane | LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study |
| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | EC 50 (Daphnia magna, 24 h): 610 mg/l Experimental result, Key study |
| Chronic hazards to the aquation | c environment: |
| Fish Product: | No data available. |
| Specified substance(s): Ethanol | NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study |
| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | NOAEL (Danio rerio): >= 25.7 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study |
| Aquatic Invertebrates Product: | No data available. |
| Specified substance(s): Ethanol | LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study |
| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | NOAEL (Daphnia magna): 25 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study |
| Toxicity to Aquatic Plants Product: | No data available. |
| Persistence and Degradability | |
| Biodegradation Product: | No data available. |
| Specified substance(s): Ethanol | 95 % Detected in water. Experimental result, Key study |
| Ethanol, 2-(2- butoxyethoxy)- | 85 % (28 d) Detected in water. Experimental result, Key study |
| Propane | 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study |
| Butane | 100 % (385.5 h) Detected in water. Experimental result, Key study |



| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | 90 - 100 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study | | |
|--|--|--|--|
| BOD/COD Ratio Product: | No data available. | | |
| Bioaccumulative potential Bioconcentration Factor (B Product: | CF) No data available. | | |
| Specified substance(s): Ethanol | Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read- across from supporting substance (structural analogue or surrogate), Supporting study | | |
| Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4) | Lepomis macrochirus, Bioconcentration Factor (BCF): 1.8 Aquatic sediment Experimental result, Key study | | |
| Partition Coefficient n-octanol / | water (log Kow) No data available. | | |
| Mobility in soil: | No data available. | | |
| Known or predicted distribut Ethanol Ethanol, 2-(2-butoxyethoxy) Propane Butane Glycine, N,N'-1,2-ethanediyl (carboxymethyl)-, sodium sa | No data available. No data available. bis[N- No data available. | | |
| Other adverse effects: | No data available. | | |
| 13. Disposal considerations | | | |
| Disposal instructions: | Wash before disposal. Dispose to controlled facilities. | | |
| Contaminated Packaging: | No data available. | | |
| 14. Transport information | | | |
| DOT | | | |
| UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): Booking Croup: | UN 1950 Aerosols, flammable 2.1 – | | |
| Packing Group: Marine Pollutant: | ll No | | |

| Marine Pollutant: | No |
|--|----------------|
| Environmental Hazards: Marine Pollutant | No No |
| Special precautions for user: | Not regulated. |



| IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group: | UN 1950 Aerosols, flammable 2 - |
|---|--|
| Environmental Hazards: Marine Pollutant | No No |
| Special precautions for user: | Not regulated. |
| IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Packing Group: | UN 1950 Aerosols, flammable 2.1 – |
| Environmental Hazards: Marine Pollutant | No No |
| Special precautions for user: | Not regulated. |

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

| Chemical Identity | Reportable quantity |
|--------------------------------|---------------------|
| Ethanol | lbs. 100 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| 2-Propanol, 2-methyl- | lbs. 100 |
| Sodium hydroxide (Na(OH)) | lbs. 1000 |
| Ammonium hydroxide ((NH4)(OH)) | lbs. 1000 |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Serious Eye Damage/Eye Irritation

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



| SARA 304 Emergency Release Notification Chemical Identity Ethanol | Reportable quantity |
|---|-----------------------------|
| Ethanol, 2-(2-butoxyethoxy)- | |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| 2-Propanol, 2-methyl- | lbs. 100 |
| Sodium hydroxide (Na(OH)) | lbs. 1000 |
| Ammonium hydroxide ((NH4)(OH)) | lbs. 1000 |
| SARA 311/312 Hazardous Chemical | |
| Chemical Identity | Threshold Planning Quantity |
| Ethanol | 10000 lbs |
| Ethanol, 2-(2-butoxyethoxy)- | 10000 lbs |

Propane 10000 lbs Butane 10000 lbs Glycine, N,N'-1,2-ethanediylbis[N-10000 lbs (carboxymethyl)-, sodium salt (1:4) 2-Propanol, 2-methyl-10000 lbs Quaternary ammonium compounds, C12-14-10000 lbs alkyl[(ethylphenyl)methyl]dimethyl, chlorides Sodium hydroxide (Na(OH)) 10000 lbs Ammonium hydroxide ((NH4)(OH)) 10000 lbs Acetic acid, phenylmethyl ester 10000 lbs

SARA 313 (TRI Reporting)

| | ' Reporting threshold | Reporting threshold for |
|-------------------|-----------------------|------------------------------|
| Chemical Identity | for other users | manufacturing and processing |
| Ethanol, 2-(2- | N230 lbs | N230 lbs. |
| butoxyethoxy)- | | |

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) **US State Regulations**

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act **Chemical Identity** Ethanol

Ethanol, 2-(2-butoxyethoxy)-Propane **Butane**

US. Massachusetts RTK - Substance List Chemical Identity

Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Ethanol Ethanol, 2-(2-butoxyethoxy)-Propane **Butane**

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol Not applicable SDS US - RE1000038686



Stockholm convention Not applicable

Rotterdam convention Not applicable

Kyoto protocol Not applicable

Inventory Status: Australia AICS: Not in compliance with the inventory. Canada DSL Inventory List: Not in compliance with the inventory. Canada NDSL Inventory: Not in compliance with the inventory. **Ontario Inventory:** Not in compliance with the inventory. China Inv. Existing Chemical Substances: On or in compliance with the inventory Japan (ENCS) List: Not in compliance with the inventory. Not in compliance with the inventory. Japan ISHL Listing: Japan Pharmacopoeia Listing: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory. Not in compliance with the inventory. Mexico INSQ: Philippines PICCS: Not in compliance with the inventory. Taiwan Chemical Substance Inventory: On or in compliance with the inventory On or in compliance with the inventory US TSCA Inventory: EINECS, ELINCS or NLP: Not in compliance with the inventory. New Zealand Inventory of Chemicals: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

| Issue Date: Revision Information: | 04/03/2020 No data available. |
|--------------------------------------|--|
| Version #: | 1.1 |
| Further Information: | FIFRA: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use. |
| Disclaimer: | This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. |